



**DONNEES TOUTES MOISSURES**

|          | Spores       | 1ère position |     | 2ème position |     | 3ème position  |     | 4ème position |     | TOTAL |
|----------|--------------|---------------|-----|---------------|-----|----------------|-----|---------------|-----|-------|
|          |              | Nom           | Qté | Nom           | Qté | Nom            | Qté | Nom           | Qté |       |
| BORDEAUX | Sem en cours | Ascospores    | /   | Cladosporium  | /   | Aspergillaceae | /   | Basidiospores | /   | /     |
|          | Sem-1        |               | /   |               | /   |                | /   |               | /   | /     |
|          | Sem-2        |               | /   |               | /   |                | /   |               | /   | /     |
| DINAN    | Sem en cours | Cladosporium  | /   | Ascospores    | /   | Basidiospores  | /   | Ganoderma     | /   | /     |
|          | Sem-1        |               | /   |               | /   |                | /   |               | /   | /     |
|          | Sem-2        |               | /   |               | /   |                | /   |               | /   | /     |
| LYON     | Sem en cours | Cladosporium  | /   | Ascospores    | /   | Myxomycetes    | /   | Alternaria    | /   | /     |
|          | Sem-1        |               | /   |               | /   |                | /   |               | /   | /     |
|          | Sem-2        |               | /   |               | /   |                | /   |               | /   | /     |
| NICE     | Sem en cours | Ascospores    | /   | Cladosporium  | /   | Myxomycetes    | /   | Basidiospores | /   | /     |
|          | Sem-1        |               | /   |               | /   |                | /   |               | /   | /     |
|          | Sem-2        |               | /   |               | /   |                | /   |               | /   | /     |
| PARIS    | Sem en cours | Cladosporium  | /   | Ascospores    | /   | Basidiospores  | /   | Ustilago      | /   | /     |
|          | Sem-1        |               | /   |               | /   |                | /   |               | /   | /     |
|          | Sem-2        |               | /   |               | /   |                | /   |               | /   | /     |
| SACLAY   | Sem en cours | Cladosporium  | /   | Ascospores    | /   | Basidiospores  | /   | Alternaria    | /   | /     |
|          | Sem-1        |               | /   |               | /   |                | /   |               | /   | /     |
|          | Sem-2        |               | /   |               | /   |                | /   |               | /   | /     |



**COMMENTAIRE : Attention au temps humide qui favorise le développement des moisissures.**

RNSA





**DONNEES ALTERNARIA - CLADOSPORIUM**

**AIX EN PROVENCE**





**ANDORRA**







**DONNEES ALTERNARIA - CLADOSPORIUM**

**BORDEAUX**





**DINAN**







**DONNEES ALTERNARIA - CLADOSPORIUM**







**DONNEES ALTERNARIA - CLADOSPORIUM**

**MELUN**





**MONTLUCON**







**DONNEES ALTERNARIA - CLADOSPORIUM**

**NANTES**





**NICE**







**DONNEES ALTERNARIA - CLADOSPORIUM**

**PARIS**





**SACLAY**





**DONNEES ALTERNARIA - CLADOSPORIUM**

**STRASBOURG**



**TOULOUSE**

